

MATERIAL SAFETY DATA SHEET

Trade Name: Johnsens Nonflammable Quick Flat Fix with Hose
MSDS NO. 3912
Revision Date: 04/10/2006
Date Printed 12/30/2008

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: Johnsens Nonflammable Quick Flat Fix with Hose
Chemical Family: LATEX ACRYLIC
Synonyms: None
Emergency Telephone (24 hr.): CHEMTREC 1-800-424-9300

Supplier: Technical Chemical Company, P.O. Box 139, Cleburne, Texas 76033

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	OSHA TWA	OSHA STEL	OSHA SKIN
1,1,1,2-Tetrafluoroethane 811-97-2	15-25	Not Listed	Not Listed	Not Listed
Ethanol 64-17-5	2-5	Not Listed	Not Listed	Not Listed
Isopropyl Alcohol 67-63-0	1-3	Not Listed	Not Listed	Not Listed
Monoethanolamine 141-43-5	<1	Not Listed	Not Listed	Not Listed
Ammonia Hydroxide 1336-21-6	<0.1	Not Listed	Not Listed	Not Listed
proprietary amine ---	<0.1	Not Listed	Not Listed	Not Listed

Component	Weight %	OSHA Z PEL	OSHA Z TWA	OSHA Z Ceiling
1,1,1,2-Tetrafluoroethane 811-97-2	15-25	Not Listed	Not Listed	Not Listed
Ethanol 64-17-5	2-5	1900 mg/m ³ 1000 ppm	1900 mg/m ³ 1000 ppm	Not Listed
Isopropyl Alcohol 67-63-0	1-3	980 mg/m ³ 400 ppm	980 mg/m ³ 400 ppm	Not Listed
Monoethanolamine 141-43-5	<1	6 mg/m ³ 3 ppm	8 mg/m ³ 3 ppm	Not Listed
Ammonia Hydroxide 1336-21-6	<0.1	35 mg/m ³ 50 ppm	Not Listed	Not Listed
proprietary amine ---	<0.1	Not Listed	Not Listed	Not Listed

MATERIAL SAFETY DATA SHEET

Trade Name: Johnsens Nonflammable Quick Flat Fix with Hose
MSDS NO. 3912
Revision Date: 04/10/2006
Date Printed: 12/30/2008

Component	ACGIH TLV TWA	ACGIH TLV STEL	ACGIH TLV Ceiling
1,1,1,2-Tetrafluoroethane 811-97-2	Not Listed	Not Listed	Not Listed
Ethanol 64-17-5	1000 ppm	Not Listed	Not Listed
Isopropyl Alcohol 67-63-0	200 ppm	400 ppm	Not Listed
Monoethanolamine 141-43-5	3 ppm	6 ppm	Not Listed
Ammonia Hydroxide 1336-21-6	25 ppm	35 ppm	Not Listed
proprietary amine ---	Not Listed	Not Listed	Not Listed

Other: Contains no other ingredients in concentrations >.1% that are now known to be hazardous as defined by OSHA.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Content under pressure. "Frostbite-like" effects may occur if the liquid or escaping vapors contact the eyes or skin. Gross inhalation overexposure may cause: Central nervous system depression with dizziness, confusion, incoordination, drowsiness or unconsciousness or death.

HMIS Classification: NFPA Rating:

Health: *2 Flammability: 2 Physical Hazard: 2
Health: 1 Flammability: 2 Reactivity: 1

4. FIRST AID MEASURES

Eye Contact:

In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

Ingestion:

Get medical attention! If vomiting occurs, keep head lower than hips to prevent aspiration.

Inhalation:

If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin Contact:

In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and shoes, and launder before reuse. Use approved skin lotions or creams to replace lost skin oils. Treat for frostbite if necessary by gently warming affected area.

5. FIRE FIGHTING MEASURES

Flammable Properties

Flash Point °F(°C):

Not Determined

Flash Point Method:

Not Determined

Flammable Limits in Air - Lower (%):

Not Determined

Flammable Limits in Air - Upper (%):

Not Determined

Autoignition Temperature °F(°C):

Not Determined

Extinguishing Media:

Water fog, carbon dioxide, foam, dry chemical. Use water spray to keep containers cool that are exposed to heat or flames.

Protection Of Fire-Fighters:

Special Fire-Fighting Procedures:

Wear approved positive-pressure self-contained breathing apparatus and protective clothing. Warning!! Contents under pressure. Container may rupture under fire conditions. Decomposition may occur.

Hazardous Combustion Products:

Carbon Dioxide. Carbon Monoxide.

Aerosol Comments:

NFPA Level 1 Aerosol

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Wear appropriate protective clothing and equipment to prevent skin and eye contact.

Spill Procedures:

Contain any liquid from leaking containers. Wear protective equipment specified. Ventilate spill area. Soak up material with absorbent and place in chemical waste container.

MATERIAL SAFETY DATA SHEET

Trade Name: Johnsens Nonflammable Quick Flat Fix with Hose
MSDS NO. 3912
Revision Date: 04/10/2006
Date Printed: 12/30/2008

6. ACCIDENTAL RELEASE MEASURES

Action to be taken if material is released or spilled: Increase area ventilation. Do not puncture or incinerate container. Contents under pressure.
Environmental Precautions: Keep away from drains.

7. HANDLING AND STORAGE

Handling and Storage: Avoid breathing vapors, if exposed to high vapor concentration, leave area at once. Avoid contact with skin and eyes. CAUTION: COMPRESSED GAS. Do not puncture, incinerate or store above 120 F. Do not store in passenger compartment of automobile. Should not be mixed with air for leak testing or used for any other purpose above atmospheric pressure.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Local exhaust ventilation as necessary to maintain exposures to within applicable limits. Showers. Eyewash stations.
Eyes: Wear safety glasses or goggles to protect against exposure.
Skin Protection: Avoid skin contact. Wear protective clothing and gloves.
Respiratory Protection: Use in a well ventilated area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White foam or liquid.
Odor: MILD ETHER LIKE
pH Value: Not Determined
Vapor Pressure: Not Determined
Vapor Density (Air=1): Not Determined
Boiling Point (°F): -15.7 F. (Lowest Component)
Melting/Freezing Point: Not determined.
Solubility in Water: SOLUBLE
Bulk Density at 20°C: Not Determined
Molecular Weight: Mixture
Specific Gravity (H2O=1): Not determined.
Viscosity: Not determined.
Evaporation Rate: >1
VOC Content(%): Not determined.
Decomposition Temperature: Not Known

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal temperatures and pressures.
Conditions to Avoid: Do not expose to heat or store at temperatures above 120 F.
Materials to Avoid: Avoid contact with acidic, basic or oxidizing agents. Avoid contact with alkali or alkaline earth metals.
Hazardous Decomposition Products: Carbon monoxide. Carbon dioxide. This material can be decomposed by high temperatures forming hydrofluoric acid and possibly carbonyl fluoride.
Hazardous Polymerization: WILL NOT OCCUR

11. TOXICOLOGICAL INFORMATION

Toxicological Data:

MATERIAL SAFETY DATA SHEET

Trade Name: Johnsens Nonflammable Quick Flat Fix with Hose
MSDS NO. 3912
Revision Date: 04/10/2006
Date Printed 12/30/2008

Component	Route	Species	Dose
1,1,1,2-Tetrafluoroethane 811-97-2	Inhalation	Rats	LC50 1500 gm/m ³ /4H
Ethanol 64-17-5	Inhalation	Rats	Not known.
Isopropyl Alcohol 67-63-0	Inhalation	Rats	LC50 16,000 ppm
Monoethanolamine 141-43-5	Oral	Rats	1720 mg/kg.
Ammonia Hydroxide 1336-21-6	Oral	Rats	Not known.
proprietary amine ---	Inhalation	Rats	Not known.

Carcinogenicity:

Component	IARC	NTP	OSHA
1,1,1,2-Tetrafluoroethane 811-97-2	Not Listed	Not Listed	Not Listed
Ethanol 64-17-5	Not Listed	Not Listed	Not Listed
Isopropyl Alcohol 67-63-0	Not Listed	Not Listed	Not Listed
Monoethanolamine 141-43-5	Not Listed	Not Listed	Not Listed
Ammonia Hydroxide 1336-21-6	Not Listed	Not Listed	Not Listed
proprietary amine ---	Not Listed	Not Listed	Not Listed

12. ECOLOGICAL INFORMATION

Remarks: Ecological testing has not been conducted on this product.

13. DISPOSAL CONSIDERATION

Waste Classification: Not determined.
Waste Management: Not determined.
Disposal Method: Disposal should be made in accordance with federal, state and local regulations.

14. TRANSPORTATION INFORMATION

U.S. DOT:

Proper Shipping Name: Consumer Commodity
Hazard Class: ORM-D
UN/NA Number: Not Applicable
DOT Packing Group: Not Applicable

IMDG:

Proper Shipping Name: Aerosols (Limited Quantity)
Hazard Class: 2.2
Hazard Subclass: Not determined.
UN No.: UN 1950
Packing Group: na
Marine Pollutant: No

MATERIAL SAFETY DATA SHEET

Trade Name: Johnsens Nonflammable Quick Flat Fix with Hose
MSDS NO. 3912
Revision Date: 04/10/2006
Date Printed 12/30/2008

15. REGULATORY INFORMATION

US Federal Regulations:

Component	SARA 313	SARA 302	TPQ	RQ
1,1,1,2-Tetrafluoroethane 811-97-2	Not Listed	Not Listed	Not Listed	Not Listed
Ethanol 64-17-5	Not Listed	Not Listed	Not Listed	Not Listed
Isopropyl Alcohol 67-63-0	Listed.	Not Listed	Not Listed	Not Listed
Monoethanolamine 141-43-5	Not Listed	Not Listed	Not Listed	Not Listed
Ammonia Hydroxide 1336-21-6	Listed.	Not Listed	Not Listed	Not Listed
proprietary amine ---	Not Listed	Not Listed	Not Listed	Not Listed

SARA 311/312 Hazard Categories: Not Determined.

State Regulations:

Component	California Prop. 65 Cancer list	California - Prop 65 Developmental Toxicity	California Prop. 65 Reproductive Female	California Prop. 65 Reproductive Male
1,1,1,2-Tetrafluoroethane 811-97-2	Not Listed	Not Listed	Not Listed	Not Listed
Ethanol 64-17-5	Not Listed	Not Listed	Not Listed	Not Listed
Isopropyl Alcohol 67-63-0	Not Listed	Not Listed	Not Listed	Not Listed
Monoethanolamine 141-43-5	Not Listed	Not Listed	Not Listed	Not Listed
Ammonia Hydroxide 1336-21-6	Not Listed	Not Listed	Not Listed	Not Listed
proprietary amine ---	Not Listed	Not Listed	Not Listed	Not Listed

MATERIAL SAFETY DATA SHEET

Trade Name: Johnsens Nonflammable Quick Flat Fix with Hose
 MSDS NO. 3912
 Revision Date: 04/10/2006
 Date Printed 12/30/2008

Component	New Jersey Right-to-Know List:
Ethanol 64-17-5	Substance no. 0844
Isopropyl Alcohol 67-63-0	Substance no. 1076 Substance no. 2079 Substance no. 2422 Substance no. 2423 Substance no. 2425 Substance no. 2426 Substance no. 2427 Substance no. 2428 Substance no. 2429 Substance no. 2430 Substance no. 2381
Monoethanolamine 141-43-5	Substance no. 0835
Ammonia Hydroxide 1336-21-6	Substance no. 0103

U.S. TSCA: One or more components of this product is not listed on the TSCA Inventory.
Canadian Inventory: One or more components of this product is not listed on the Canadian DSL or NDSL Inventory.

Consumer Product Safety Improvement Act of 2008 General Conformity Certification

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

16. OTHER INFORMATION

General Notes:
Disclaimer: Do not allow undiluted material or large quantities to reach groundwater, bodies of water or sewer system. The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.