

# MATERIAL SAFETY DATA SHEET

Trade Name: Johnsen's Fuel Injector Cleaner 7 oz  
MSDS NO. 4684-8  
Revision Date: 05/25/2007  
Date Printed: 01/20/2009

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: Johnsen's Fuel Injector Cleaner 7 oz  
Chemical Family: PETROLEUM DISTILLATE  
Synonyms: None  
Emergency Telephone (24 hr.): CHEMTREC 1-800-424-9300  
Supplier: Technical Chemical Company, P.O. Box 139, Cleburne, Texas 76033

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	OSHA TWA	OSHA STEL	OSHA SKIN
Solvent naphtha (petroleum), light aromatic 64742-95-6	1-10	Not Listed	Not Listed	Not Listed
1,2,4-trimethylbenzene 95-63-6	1-10	Not Listed	Not Listed	Not Listed
Polyolefin alkylphenol HC1 alkylamine N/A	1-10	Not Listed	Not Listed	Not Listed
400/500 Base Solvent 64742-47-8	90-100	500 ppm	Not Listed	Not Listed

Component	Weight %	OSHA Z PEL	OSHA Z TWA	OSHA Z Ceiling
Solvent naphtha (petroleum), light aromatic 64742-95-6	1-10	Not Listed	Not Listed	Not Listed
1,2,4-trimethylbenzene 95-63-6	1-10	Not Listed	Not Listed	Not Listed
Polyolefin alkylphenol HC1 alkylamine N/A	1-10	Not Listed	Not Listed	Not Listed
400/500 Base Solvent 64742-47-8	90-100	500 ppm	500 ppm	Not Listed

Component	ACGIH TLV TWA	ACGIH TLV STEL	ACGIH TLV Ceiling
Solvent naphtha (petroleum), light aromatic 64742-95-6	Not Listed	Not Listed	Not Listed
1,2,4-trimethylbenzene 95-63-6	Not Listed	Not Listed	Not Listed
Polyolefin alkylphenol HC1 alkylamine N/A	Not Listed	Not Listed	Not Listed
400/500 Base Solvent 64742-47-8	Not Listed	Not Listed	Not Listed

## 3. HAZARDS IDENTIFICATION

**Emergency Overview:** Warning! Combustible Liquid and Vapor. Harmful if inhaled. May cause delayed lung injury. Exposure to vapors can cause central nervous system depression, drowsiness, weakness, headache, dizziness, and nausea. Avoid breathing vapors. Avoid contact with skin and eyes. Keep away from heat, sparks, and flame.

**HMIS Classification:** Health: 2 Flammability: 2 Physical Hazard: 0

# MATERIAL SAFETY DATA SHEET

Trade Name: Johnsen's Fuel Injector Cleaner 7 oz  
MSDS NO. 4684-8  
Revision Date: 05/25/2007  
Date Printed: 01/20/2009  
NFPA Rating: Health: 2 Flammability: 2 Reactivity: 0

## 4. FIRST AID MEASURES

**Eye Contact:** In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

**Ingestion:** If swallowed, do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person. If victim is conscious and alert, give 1-2 glasses of water to drink. If vomiting occurs, keep head lower than hips to prevent aspiration.

**Inhalation:** If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

**Skin Contact:** Wash with soap and water. Remove contaminated clothing and shoes, and launder before reuse. If irritation or rash develops, obtain medical assistance.

## 5. FIRE FIGHTING MEASURES

### Flammable Properties

**Flash Point F(°C):** >155 F  
**Flash Point Method:** TAG Closed Cup  
**Flammable Limits in Air - Lower (%):** .7 vol %  
**Flammable Limits in Air - Upper (%):** 6 vol %  
**Autoignition Temperature F(°C):** >550 F  
**Extinguishing Media:** Carbon Dioxide, Dry Chemicals, Foam. Water stream may spread fire. Use water spray to keep containers cool that are exposed to heat or flames.

### Protection Of Fire-Fighters:

**Special Fire-Fighting Procedures:** Wear approved positive-pressure self-contained breathing apparatus and protective clothing.  
**Hazardous Combustion Products:** Fumes and Smoke. Oxides of Carbon. Oxides of Nitrogen.  
**Aerosol Comments:** Not Applicable

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Wear appropriate protective clothing and equipment to prevent skin and eye contact.

**Spill Procedures:** Sweep or scrape up material and place in a suitable clean, dry container for disposal by approved methods.

**Action to be taken if material is released or spilled:** Increase area ventilation. Remove sources of ignition. Leaking containers should be removed to an isolated, well-ventilated area and transferred to other suitable containers.

**Environmental Precautions:** Do not allow to enter sanitary drains, sewer or surface and subsurface waters.

## 7. HANDLING AND STORAGE

**Handling and Storage:** Keep away from heat and open flame. Keep containers tightly closed when not in use. Wash thoroughly after handling. Use only with adequate ventilation. Avoid extreme temperatures. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Exhaust ventilation. Showers. Eyewash stations.

**Eyes:** Wear safety glasses or goggles to protect against exposure. Chemical goggles; also wear a face shield if splashing hazard exists.

**Skin Protection:** Avoid skin contact. Wear protective clothing and gloves. Neoprene coated apron or clothing. Nitrile coated apron or clothing.

**Respiratory Protection:** Use an approved NIOSH organic vapor respirator below the TLV. If TLV is exceeded or overexposure is likely, use positive pressure or self contained breathing apparatus.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colorless to light yellow liquid  
**Odor:** KEROSENE  
**pH Value:** Not Determined  
**Vapor Pressure:** .00386 psia @ 68F  
**Vapor Density (Air=1):** 6  
**Boiling Point (F):** >400F

# MATERIAL SAFETY DATA SHEET

Trade Name: Johnsen's Fuel Injector Cleaner 7 oz  
MSDS NO. 4684-8  
Revision Date: 05/25/2007  
Date Printed: 01/20/2009

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Melting/Freezing Point: 25F  
Solubility in Water: NEGLIGIBLE  
Bulk Density at 20°C: Not Determined  
Molecular Weight: Mixture  
Specific Gravity (H2O=1): .79 @ 70F  
Viscosity: >1.7 cst @ 40C  
Evaporation Rate: Not Determined  
VOC Content(%): 5.04 (CARB Method 310)  
Decomposition Temperature: Not Known

## 10. STABILITY AND REACTIVITY

**Chemical Stability:** Stable under normal conditions of handling, use and transportation.  
**Conditions to Avoid:** Keep away from heat, sparks and flame. Do not expose to heat or store at temperatures above 120 F.  
**Materials to Avoid:** Strong oxidizing agents.  
**Hazardous Decomposition Products:** Carbon monoxide and other asphixiates.  
**Hazardous Polymerization:** WILL NOT OCCUR

## 11. TOXICOLOGICAL INFORMATION

### Toxicological Data:

Component	Route	Species	Dose
Solvent naphtha (petroleum), light aromatic 64742-95-6	Oral	Rats	LD50 8400 mg/kg
1,2,4-trimethylbenzene 95-63-6	Inhalation	Rats	LC50 18 gm/m <sup>3</sup> /4H
Polyolefin alkylphenol HC1 alkylamine N/A	NA	NA	Not known.
400/500 Base Solvent 64742-47-8	Inhalation	Rats	Not known.

### Carcinogenicity:

Component	IARC	NTP	OSHA
Solvent naphtha (petroleum), light aromatic 64742-95-6	Not Listed	Not Listed	Not Listed
1,2,4-trimethylbenzene 95-63-6	Not Listed	Not Listed	Not Listed
Polyolefin alkylphenol HC1 alkylamine N/A	Not Listed	Not Listed	Not Listed
400/500 Base Solvent 64742-47-8	Not Listed	Not Listed	Not Listed

## 12. ECOLOGICAL INFORMATION

**Remarks:** Ecological testing has not been conducted on this product.

## 13. DISPOSAL CONSIDERATION

**Waste Classification:** Not determined.  
**Waste Management:** Recovery and reuse, rather than disposal, should be the ultimate goal of handling efforts.  
**Disposal Method:** Disposal should be made in accordance with federal, state and local regulations.

## MATERIAL SAFETY DATA SHEET

**Trade Name:** Johnsen's Fuel Injector Cleaner 7 oz  
**MSDS NO.** 4684-8  
**Revision Date:** 05/25/2007  
**Date Printed** 01/20/2009

### 14. TRANSPORTATION INFORMATION

**U.S. DOT:**  
**Proper Shipping Name:** Consumer Commodity  
**Hazard Class:** ORMD  
**UN/NA Number:** Not Applicable  
**DOT Packing Group:** Not Applicable

**IMDG:**  
**Proper Shipping Name:** Not Regulated  
**Hazard Class:** Not Applicable  
**Hazard Subclass:** Not Applicable  
**UN No.:** Not Applicable  
**Packing Group:** Not Applicable  
**Marine Pollutant:** No

### 15. REGULATORY INFORMATION

**US Federal Regulations:**

Component	SARA 313	SARA 302	TPQ	RQ
Solvent naphtha (petroleum), light aromatic 64742-95-6	Not Listed	Not Listed	Not Listed	Not Listed
1,2,4-trimethylbenzene 95-63-6	Listed.	Not Listed	Not Listed	Not Listed
Polyolefin alkylphenol HC1 alkylamine N/A	Not Listed	Not Listed	Not Listed	Not Listed
400/500 Base Solvent 64742-47-8	Not Listed	Not Listed	Not Listed	Not Listed

**SARA 311/312 Hazard Categories:** Immediate/Acute, Delayed/Chronic, Fire

**State Regulations:**

Component	California Prop. 65 Cancer list	California - Prop 65 Developmental Toxicity	California Prop. 65 Reproductive Female	California Prop. 65 Reproductive Male
Solvent naphtha (petroleum), light aromatic 64742-95-6	Not Listed	Not Listed	Not Listed	Not Listed
1,2,4-trimethylbenzene 95-63-6	Not Listed	Not Listed	Not Listed	Not Listed
Polyolefin alkylphenol HC1 alkylamine N/A	Not Listed	Not Listed	Not Listed	Not Listed
400/500 Base Solvent 64742-47-8	Not Listed	Not Listed	Not Listed	Not Listed

**U.S. TSCA:** One or more components of this product is not listed on the TSCA Inventory.  
**Canadian Inventory:** One or more components of this product is not listed on the Canadian DSL or NDSL Inventory.

## MATERIAL SAFETY DATA SHEET

Trade Name: Johnsen's Fuel Injector Cleaner 7 oz  
MSDS NO. 4684-8  
Revision Date: 05/25/2007  
Date Printed 01/20/2009

### Consumer Product Safety Improvement Act of 2008 General Conformity Certification

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

## 16. OTHER INFORMATION

### General Notes:

### Disclaimer:

Do not allow undiluted material or large quantities to reach groundwater, bodies of water or sewer system. The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.